

Original Style produces other ranges, including Ceramic Tiles, Stone, Victorian floor tiles and an exclusive range of Mosaics. Please ask your retailer for copies of these brochures.

ORIGINALSTYLE

Trade Sales tel: +44 (0) 1392 473000
 Export Sales tel: +44 (0) 1392 473001
 Other depts tel: +44 (0) 1392 474011
 Fax: +44 (0) 1392 473003

e-mail: info@originalstyle.com
www.originalstyle.com

A member of the Stovax Group.
 The 'Original Style' logo is a registered trade mark of Original Style Ltd.
 Original Style Limited is registered in England number 3018117.
 Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF

Distributed by: £1.50 \$2.50 2.00

GLA 3 08/07



Clear 398 x 198 x 6mm (15³/₄" x 7⁷/₈" x 1/4")



Clear 198 x 198 x 6mm (7⁷/₈" x 7⁷/₈" x 1/4")

Clear Glass


Dramatic colours capture and reflect light, making smaller rooms appear more spacious. Whether in an urban bathroom or chic, contemporary kitchen, they focus the eye on the space around you.

- ▲ Glass: Mekong Clear 198 x 198 x 6mm (7⁷/₈" x 7⁷/₈" x 1/4") - GW-MEK806C
- Glass: Indus Clear 48 x 48 x 10mm (1⁷/₈" x 1⁷/₈" x 3/8") - GW-IND210C
- Tile: Colourworks Brilliant White Rectangle 152 x 25mm (6" x 1") - A9221

- ◀ Glass: Indus Clear 398 x 198 x 6mm (15³/₄" x 7⁷/₈" x 1/4") - GW-IND1606C
- Glass: Mekong Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-MEK410C
- Stone: Earthworks Graphite Black Slate 600 x 400 x 10mm - EW-GB60x40

- ▶ Glass: Mekong Clear Classic Brick 200 x 98 x 6mm (8" x 4" x 1/4") - GW-MEK846C

Please refer to page 61 for all colour and size options available.



Clear Classic Brick - 200 x 98 x 6mm (8" x 4" x 1/4")



Clear 398 x 80 x 6mm (15³/₄" x 3¹/₈" x 1/4")



Clear 398 x 80 x 6mm (15³/₄" x 3¹/₈" x 1/4")

Clear & Frosted Glass

Covering areas beautifully, these large format tiles show their versatility in both a residential or commercial theme, echoing a clean and stylish interior. Available in seven clear and three frosted colours.

▲ Glass: Mekong - Clear 398 x 80 x 6mm (15³/₄" x 3¹/₈" x 1/4") GW-MEK1636C

◀ Glass: Volga, Avon & Thames - Clear 398 x 80 x 6mm (15³/₄" x 3¹/₈" x 1/4") GW-VOL1636C, GW-AVO1636C & GW-THA1636C

Please refer to pages 61 & 63 for all colour and size options available.



Frosted 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

Frosted Glass

The tactile qualities of the frosted finish bring a deeper intensity to this collection. The urge to touch the velvety quality of these tiles is irresistible – to experience the smoothness of the glass under your fingertips.

- ▲ Glass: Ganges Frosted 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") – GW-GAN210F
- Glass: Seine Frosted 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") – GW-SEN210F
- Stone: Earthworks Umbrian Gold Filled and Honed 300 x 300 x 12mm – EW-UGF30X30
- Stone: Earthworks Bullnose Giallo 300 x 29 x 19mm – EW-BNG30

- ▶ Glass: Yangtze Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") – GW-YAN210C
- Glass: Yangtze Frosted 152 x 152 x 6mm (6" x 6" x 1/4") – GW-YAN606F
- Stone: Earthworks Old Aquitaine 600 x 400 x 15mm – EW-OA60X40

Please refer to page 63 for all colour and size options available.



Frosted 152 x 152 x 6mm (6" x 2" x 1/4")



Frosted 100 x 100 x 5mm (4" x 4" x 3/16")

Frosted Glass

The opportunity to create outstanding designs is limited only by your imagination. Frosted Glassworks tiles are available in six different sizes, ready to be combined to dramatic effect.



Frosted 100 x 100 x 10mm (4" x 4" x 3/8")

- ▲ Glass: Zambezi Frosted 100 x 100 x 5mm (4 x 4 x 3/16") - GW-ZAM405F
- ▶ Glass: Thames Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-THA210C
- ▶ Glass: Thames Frosted 100 x 100 x 10mm (4" x 4" x 3/8") - GW-THA410F
- ▶ Tiles: Colourworks Brilliant White 152 x 152 x 6mm (6" x 6" x 1/4") - A9000
- ▶ Tiles: Colourworks Brilliant White Omega - A9909

Please refer to page 63 for all colour and size options available.



Frosted 152 x 50 x 6mm (6" x 2" x 1/4")

Frosted & Tumbled Glass

Whether a small shot of colour to catch the eye – bright, bold and vivid – or a larger expanse of simple neutrality leading the viewer to a stunning vista, the Glassworks collection contains a wonderful array of contemporary shades.

- ▲ Glass: Mackenzie Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-MAC210C
- ▲ Glass: Volga Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
- ▲ Glass: Volga Frosted 152 x 50 x 6mm (6" x 2" x 1/4") - GW-VOL656BF

- ▶ Glass: Arctic Tumbled 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ART410T

Please refer to page 63 for all colour and size options available.



Tumbled 100 x 100 x 10mm (4" x 4" x 3/8")



Clear Classic Brick - 200 x 98 x 6mm (8" x 4" x 1/4")

Clear Glass

The beautiful Glassworks palette of field tiles has been carefully selected for today's eclectic interiors. A spectrum of aqueous hues and contemporary bright colours has been developed to suit modern kitchen and bathroom designs.



Clear 152 x 152 x 6mm (6" x 6" x 1/4")

▲ Glass: Zambezi Clear Classic Brick 200 x 98 x 6mm (8" x 4" x 1/4") - GW-ZAM846C

▶ Glass: Thames Clear 152 x 152 x 6mm (6" x 6" x 1/4") - GW-THA606C

Please refer to page 61 for all colour and size options available.



Metallica 150 x 75 x 10mm (5¹⁵/₁₆" x 3" x 3³/₈")

Metallica Glass

Adding a touch of glamour to these stylish glass tiles, Metallica provides a subtle gleam of difference, whether used alone or in conjunction with alternative textures and materials. Available in 48 x 48mm, 100 x 100mm & 150 x 75mm in eight stunning colours.

- ▲ Glass: Titana Metallica 150 x 75 x 10mm (5¹⁵/₁₆" x 3" x 3³/₈") - GW-TTA610SFT
Stone: Earthworks Umbrian Gold Filled and Honed 600 x 400 x 12mm - EW-UGF60x40
- ▶ Glass: Triton Metallica 150 x 75 x 10mm (5¹⁵/₁₆" x 3" x 3³/₈") - GW-TRT610SFT
Stone: Earthworks Andes Dawn 300 x 300 x 10mm - EW-AD30x30

Please refer to page 63 for all colour and size options available.



Metallica 150 x 75 x 10mm (5¹⁵/₁₆" x 3" x 3³/₈")



Metallica 100 x 100 x 10mm (4" x 4" x 3/8")



Metallica 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

Metallica Glass

Mixed with stone to update a beautifully classic look, or as an entire backdrop of glamour, Metallica is available in a variety of beautiful tones and sizes to suit every design scheme.

- ▲ Glass: Titana Metallica 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-TTA210MFT
Stone: Earthworks Venetian Mosaic Mixed Travertine 305 x 305 x 10mm - EW-VMTM48
- ▶ Glass: Triton Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-TRT410MFT
- ◀ Glass: Hermes Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-HRM410MFT
Glass: Ganymede Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-GNY410MFT
Glass: Hyperion Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-HYN410MFT

Please refer to page 63 for all colour and size options available.



Metallica 100 x 100 x 10mm (4" x 4" x 3/8")



Serenity (ceramic) 100 x 100 x 10mm (4" x 4" x 3/8")

Co-ordinating Ceramics

Serenity

The classic charm of these beautiful ceramic tiles, with matching mouldings, is perfect for a supporting role to the glistening Glassworks tiles.

- ▲ Ceramic: Gamma 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CGA0404
- Ceramic: Scala 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CSC0404
- Ceramic: Opus 100 x 100 x 10mm (4" x 4" x 3/8") - GW-COP0404
- Glass: Ganges Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-GAN410C
- Glass: Angara Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-AGR410C

- ▶ Ceramic: Mila 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CML0404
- Glass: Sala 100 x 100 x 10mm (4" x 4" x 3/8") - GW-SAA410C

Please refer to 'Important Information' on page 64 for installation guidelines.



Serenity (ceramic) 100 x 100 x 10mm (4" x 4" x 3/8")



Serenity (ceramic) 100 x 100 x 10mm (4" x 4" x 3/8") and Elite 100 x 14mm (4" x 9/16")

Serenity & Elite

Soft, serene, summery shades are a delight to behold, whether used as a melange of colour, or with the simplicity of a single tone.



Elite Moulding
100 x 14mm (4" x 9/16")



Zen
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CZE0404
Co-ordinating glass - Rhine & Mekong



Elite Zen
100 x 14mm (4" x 9/16")
GW-CZE8910



Opus
100 x 100 x 10mm (4" x 4" x 3/8")
GW-COP0404
Co-ordinating glass - Fraser & Tigris



Elite Opus
100 x 14mm (4" x 9/16")
GW-COP8910



Scala
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CSC0404
Co-ordinating glass - Chico



Elite Scala
100 x 14mm (4" x 9/16")
GW-CSC8910



Gamma
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CGA0404
Co-ordinating glass - Ganges & Fraser



Elite Gamma
100 x 14mm (4" x 9/16")
GW-CGA8910

▲ Ceramic: Gemini 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CGEO404
Moulding: Gemini 100 x 14mm (4" x 9/16") - GW-CGE8910
Glass: Volga 100 x 100 x 10mm (4" x 4" x 3/8") - GW-VOL410C

All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"



Aspire
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CAP0404
Co-ordinating glass - Ganges & Chico



Elite Aspire
100 x 14mm (4" x 9/16")
GW-CAP8910



Prima
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CPR0404
Co-ordinating glass - Avon & Thames



Elite Prima
100 x 14mm (4" x 9/16")
GW-CPR8910



Modo
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CMD0404
Co-ordinating glass - Bosphorus & Murray



Elite Modo
100 x 14mm (4" x 9/16")
GW-CMD8910



Panache
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CPN0404
Co-ordinating glass - Tagus



Elite Panache
100 x 14mm (4" x 9/16")
GW-CPN8910



Zone
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CZN0404
Co-ordinating glass - Volga, Mississippi & Columbia



Elite Zone
100 x 14mm (4" x 9/16")
GW-CZN8910



Gemini
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CGE0404
Co-ordinating glass - Mississippi & Columbia



Elite Gemini
100 x 14mm (4" x 9/16")
GW-CGE8910



Aquarius
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CAQ0404
Co-ordinating glass - Colorado & Zambezi



Elite Aquarius
100 x 14mm (4" x 9/16")
GW-CAQ8910



Spa
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CSP0404
Co-ordinating glass - Colorado & Zambezi



Elite Spa
100 x 14mm (4" x 9/16")
GW-CSP8910



Mirage
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CMA0404
Co-ordinating glass - Yukon, Zambezi & Congo



Elite Mirage
100 x 14mm (4" x 9/16")
GW-CMA8910



Bono
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CBN0404
Co-ordinating glass - Loire & Seine



Elite Bono
100 x 14mm (4" x 9/16")
GW-CBN8910



Odyssey
100 x 100 x 10mm (4" x 4" x 3/8")
GW-COD0404
Co-ordinating glass - Loire & Moselle



Elite Odyssey
100 x 14mm (4" x 9/16")
GW-COD8910



Mila
100 x 100 x 10mm (4" x 4" x 3/8")
GW-CML0404
Co-ordinating glass - Indus



Elite Mila
100 x 14mm (4" x 9/16")
GW-CML8910



Constellation 100 x 100 x 10mm (4" x 4" x 3/8")

Decorative Glass

Constellation

With a glorious glint, Constellation is the most modern of tiles: whether creating a modern loft installation, or adding some zing to a classic design.


This 100 x 100mm sparkingly stunning tile is available in six dazzling colours.



- ▶ Glass: Delphinus Constellation 100 x 100 x 10mm (4" x 4" x 3/8") - GW-DLP410MF
Glass: Aquila Constellation 100 x 100 x 10mm (4" x 4" x 3/8") - GW-AQU410MF

- ◀ Glass: Andia Constellation 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ADA410MF
Glass: Triton Metallica 100 x 100 x 10mm (4" x 4" x 3/8") - GW-TRT410MFT

Please refer to 'Important Information' on page 64 for installation guidelines.



Constellation 100 x 100 x 10mm (4" x 4" x 3/8")




Iridescent Drop-Ins 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4")

Iridescent Drop-Ins

The delicate nature of these gems can be misleading until you see the full impact of the decoration within them. Use these masterpieces of minute detail and intense colour as jewels or continuous borders.




Iridescent Drop-Ins 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4")



- ◀ Glass: Orb Drop-in 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4") - GW-DG098
Ceramic: Delano - A9019
Tiles: Colourworks Brilliant White 152 x 152 x 7mm (6" x 6" x 5/16") - A9000
- ▲ Glass: Luminary Drop-in 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4") - GW-DG093


Please refer to 'Important Information' on page 64 for installation guidelines
The shade of these Drop-Ins varies between batches



Lunar & Equinox 100 x 100 x 12mm (4" x 4" x 1/2")

Lunar & Equinox

Completely handmade, these magnificent textured tiles are the first of our decorative designs. The Lunar is especially lustrous when highlighted by subtle illumination, whilst the Equinox tiles can be appreciated from a variety of angles as the patina adjusts to the light. Use as single tiles, running borders or as a stunning feature piece to complement ceramics or stone.




Lunar
100 x 100 x 12mm
4" x 4" x 1/2"
GW-DG001

Cygnus
100 x 100 x 7mm
4" x 4" x 1/4"
GW-DG011

Andromeda
100 x 100 x 7mm
4" x 4" x 1/4"
GW-DG010

Lunar Border
200 x 40 x 12mm
7 1/2" x 1 1/2" x 1/2"
GW-DG002



Lunar & Equinox 100 x 100 x 12mm (4" x 4" x 1/2")

- ▶ Glass: Lunar tile 100 x 100 x 12mm (4" x 4" x 1/2") - GW-DG001
Stone: Earthworks Graphite Black Slate 300 x 300 x 10mm - EW-GB30X30
- ◀ Glass: Cygnus 100 x 100 x 7mm (4" x 4" x 1/4") - GW-DG011
Glass: Phoebus Drop-in 27 x 27 x 6mm (1 1/8" x 1 1/8" x 1/4") - GW-DG090
Tile: Colourworks Lily 152 x 152 x 7mm (6" x 6" x 1/4") - CLY9000
- ▲ Glass: Andromeda 100 x 100 x 7mm (4" x 4" x 1/4") - GW-DG010
Glass: Zambezi Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ZAM410C

Please refer to 'Important Information' on page 64 for installation guidelines.



Lunar & Equinox 100 x 100 x 12mm (4" x 4" x 1/2")




Confetti 100 x 100 x 7mm (4" x 4" x 1/4")

Confetti

The Confetti collection – superb transparent colours that are ideal for so many applications. With imaginative lighting, you can also discover the beauty of each individual tile from delicate fragments of coloured glass to a kaleidoscope of iridescence.



Confetti 100 x 100 x 7mm (4" x 4" x 1/4")



◀ Glass: Cassiopea 100 x 100 x 7mm (4" x 4" x 1/4") - GW-DG061
(Glass tiles mounted onto perspex and back lit)

▲ Glass: Stellar 100x100x7mm (4" x 4" x 1/4") - GW-DG066
Stone: Earthworks Tuscany Marble Istria 100x100x10mm - EW-TMISTRIA

Please refer to 'Important Information' on page 64 for installation guidelines.




Float & Foil 100 x 100 x 9mm (4" x 4" x 3/8")

Float & Foil

By mixing glass and metals we have created a series of outstanding abstract designs. Incorporating copper and foil, these incredibly simple styles are reminiscent of times when only natural minerals and materials were available to decorate the home.



Float & Foil 200 x 40 x 9mm (7 5/8" x 1 5/8" x 3/8")



◀ Glass: Auriga 100 x 100 x 9mm (4" x 4" x 3/8") - GW-DG040
 Glass: Meteor 100 x 100 x 9mm (4" x 4" x 3/8") - GW-DG042
 Glass: Eridanus 100 x 100 x 9mm (4" x 4" x 3/8") - GW-DG045
 Stone: Earthworks Amazon Green Slate 100 x 100 x 10mm - EW-AG10X10
 Stone: Earthworks Amazon Green Slate 300 x 300 x 10mm - EW-AG30X30

▲ Glass: Draco border 200 x 40 x 9mm (7 5/8" x 1 5/8" x 3/8") - GW-DG044
 Stone: Earthworks Umbrian Gold Diamond Sawn 600 x 400 x 12mm - EW-UG60X40DS
 Stone: Earthworks Bullnose Crema 100 x 29 x 19mm - EW-BNC10

Please refer to 'Important Information' on page 64 for installation guidelines.




Iridescent 100 x 100 x 6mm (4" x 4" x 1/4")

Iridescent

These delightful iridescent tiles complement our Earthworks stone range perfectly. Their richness emanates from fragments of metallic glass embedded on the surface, which glitter in the light, with each piece being handmade and truly individual.



Iridescent 200 x 40 x 6mm (7 5/16" x 1 5/8" x 1/4")



◀ Glass: Perseus 100 x 100 x 6mm (4" x 4" x 1/4") - GW-DG021
 Stone: Earthworks Venetian Mosaic Jerusalem Gold 4.8 305 x 305 x 10mm - EW-VMJGOLD48
 Stone: Earthworks Old Aquitaine 300 x 300 x 15mm - EW-OA30X30

▲ Glass: Lacus border 200 x 40 x 6mm (7 5/16" x 1 5/8" x 1/4") - GW-DG025
 Tile: Original Style Colour Palette Bronze - NE5900

Please refer to 'Important Information' on page 64 for installation guidelines.



Clear 100 x 100 x 5mm (4" x 4" x 3/16")



Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")

Clear Glass

An amazing array of sizes is available to choose for your perfect design scheme: versatile classic 100mm square; the smaller but dazzling 48mm tiles are understated yet vibrant alternatives; modern rectangular tiles echoing the Art Deco style yet with a 21st century twist.

- ▲ Glass: Volga Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
- ▲ Glass: Mississippi Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-MSP210C
- ▲ Glass: Columbia Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-COL210C
- ▶ Glass: Arkansas Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-ARK210C
- ▶ Glass: Volga Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
- ▶ Stone: Earthworks Umbrian Gold Unfilled and Honed 400 x 200 x 12mm - EW-UG40X20DS
- ◀ Glass: Euphrates Clear 100 x 100 x 5mm (4" x 4" x 3/16") - GW-EUP405C

Please refer to page 61 for all colour and size options available.



Clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")



Clear Brick Triangle Border

Borders


Clear Glass Borders

Sophisticated borders add colour and design to larger format ceramic, stone and glass settings.



Clear Small Triangle & Square Border

Clear Large Triangle & Square Borders



Clear Brick Triangle Borders



Clear Small Triangle & Square Borders



Clear Triangle Borders



- ▲ Border: Victoria Clear Brick Triangle Border 320 x 90 x 8mm (12⁵/₁₆" x 3¹/₂" x ⁵/₁₆"") GW-VCLBTBC
- ◀ Border: Superior Clear Small Triangle & Square Border 300 x 40 x 8mm (11³/₁₆" x 1⁵/₈" x ⁵/₁₆"") - GW-SUPSTBC
- Glass: Volga Offset Sky Single Frosted Mosaic 304 x 304 x 10mm (12" x 12" x ³/₈"") - GW-VOLMOSOFFF

All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or ³/₃₂"



Tumbled Triangle Border

Tumbled Glass Borders

Borders can be used to complement or contrast with tiles through colour and finish. For an air of simplicity, use subtle tones to complement, for a bold statement use contrasting colours with conviction.



Tumbled Large Triangle and Square Border

Tumbled Large Triangle & Square Borders



Victoria
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-VCTLSBF



Volta
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-VTALTSBF



Huron
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-HURLTSBF



Superior
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-SUPLTSBF



Geneva
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-GNVLTSBF



Calcasieu
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-CALLTSBF



Turkana
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-TRKLSBF



Mweru
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-MWRLSBF



Tanganyika
300 x 75 x 8mm (11 1/4" x 3" x 5/16")
GW-TGKLSBF

Tumbled Brick Triangle Border



Volta
320 x 90 x 8mm (12 1/2" x 3 1/2" x 5/16")
GW-VTALBTBF

Tumbled Small Triangle & Square Borders



Victoria
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-VCTSTBF




Volta
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-VTASTBF



Huron
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-HURSTSBF



Superior
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-SUPSTSBF



Geneva
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-GNVSTSBF



Calcasieu
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-CALSTSBF



Turkana
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-TRKSTSBF



Mweru
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-MWRSTSBF



Tanganyika
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-TGKSTSBF

Tumbled Triangle Borders



Volta
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-VTATBF



Victoria
300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16")
GW-VCTTBF

▲ Border: Volta Tumbled Triangle Border 300 x 40 x 8mm (11 1/4" x 1 1/2" x 5/16") - GW-VTATBF

◀ Border: Tanganyika Tumbled Large Triangle & Square Border 300 x 75 x 8mm (11 1/4" x 3" x 5/16") - GW-TGKLSBF

Stone: Earthworks Crema Border 300 x 29 x 19mm - EW-BNC30

Stone: Earthworks Umbrian Gold Filled and Honed 600 x 400 x 12mm - EW-UGF60X40

All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"



Paradise Border 300 x 48 x 8mm (24 x 24mm) (11³/₄" x 1⁷/₈" x 5¹/₁₆" (1⁵/₁₆" x 1⁵/₁₆"

Formosa
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-FORMMSTR



Sardinia
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-SRDMSTR



Ducie
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-DUCMSTR



Vanuatu
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-VANMSTR



Tubuai
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-TUBMSTR



Ascension
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-ASCMSTR



Comoro
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-COMMSTR



Zanzibar
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-ZANMSTR



Pembra
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-PEMMSTR



Agalega
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-AGAMSTR



Scotra
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-SCOMSTR



Tanna
300 x 48 x 8mm
(11³/₄" x 1⁷/₈" x 5¹/₁₆"
GW-TANMSTR



Paradise Borders

A wonderful array of flavoursome boiled sweets, perfect for any diet as they are totally calorie free!


These beautiful borders can either lift or tone, adding colour without the need to be extravagant.

◀ Border: Pembra 300 x 48 x 8mm (24 x 24mm) (11³/₄" x 1⁷/₈" x 5¹/₁₆" (1⁵/₁₆" x 1⁵/₁₆" - GW-PEMMSTR

Please refer to 'Important Information' on page 64 for installation guidelines.
All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"



Cyclades 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆")




Cyclades Borders

Subtle, muted yet heart renderingly attractive, the Cyclades borders will fit many styles of interior. Use them horizontally or vertically.



Cyclades Border 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆")



- ◀ Border: Kimolos 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆") - GW-KMLSBS
 Stone: Earthworks Byzantine Bronze Filled & Honed 406 x 203 x 12mm - EW-BBF40x20
 Sink: Earthworks Circular Sink Classic Travertine - EW-SINKDCL
- ▲ Border: Anafi 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆") - GW-ANACSBL
 Stone: Earthworks Handmade Terracotta 200 x 200 x 20mm - EW-HT20

Please refer to 'Important Information' on page 64 for installation guidelines.
 All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/₃₂"




National Flag 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆")



Bonbons 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆")


National Flag Borders

Be patriotic! Show your true colours with these fun tiles... or just enjoy the mix of colours as you wish.



▲ Border: National Flag E 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆") - GW-NFESBS

Please refer to 'Important Information' on page 64 for installation guidelines.
All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/₃₂"



▲ Border: Princess 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆") - GW-BBPSBS

Please refer to 'Important Information' on page 64 for installation guidelines.
All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/₃₂"


Bonbon Borders

These gorgeous bubblegum colours are ideal for a children's bathroom: a touch of colour which complements a simple white field tile to perfection.



Designs Range Clear 200 x 50 x 8.7mm (8" x 2" x 5/16")

- Fiji Green - Clear
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-FJHBBC
- Vanua Leva - Clear
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-VANHBBC
- Santa Cruz - Clear
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-STCHBBC
- Espirita Santo - Clear
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-ESPHBBC
- Baleriac Blue - Clear
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-BALHBBC



Designs Range Frosted 200 x 50 x 8.7mm (8" x 2" x 5/16")

Designs Range Clear & Frosted

Echoing a timeless style, the Designs collection of borders can be used in a multitude of ways: regimentally in a row or in an elongated linear fashion. Available in both a clear and frosted finish, these borders can create a delightful splashback or provide a simple element of design.

- Fiji Green - Frosted
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-FJHBBF
- Vanua Leva - Frosted
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-VANHBBF
- Santa Cruz - Frosted
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-STCHBBF
- Espirita Santo - Frosted
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-ESPHBBF
- Baleriac Blue - Frosted
200 x 50 x 8.7mm
(8" x 2" x 5/16")
GW-BALHBBF

◀ Border: Santa Cruz 200 x 50 x 8.7mm (8" x 2" x 5/16") - GW-STCHBBC
Glass: Indus Clear 398 x 198 x 6mm (15 3/4" x 7 7/8" x 1/4") - GW-INDI606C

▲ Border: Espirita Santo 200 x 50 x 8.7mm (8" x 2" x 5/16") - GW-ESPHBBF

Please refer to 'Important Information' on page 64 for installation guidelines.
All the above dimensions are nominal and are subject to a tolerance of ± 2.5mm or 3/32"




Toba 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆")



Tumbled Border 200 x 17 x 10mm (8" x 5/₈" x 3/₈")

Toba Borders

Take yourself to the sandy beaches of the Pacific; imagine wandering along the shoreline collecting sea-tumbled pebbles to decorate your home. The Toba borders will transport you to this warm and relaxing haven with the utmost ease.




▲ Border: Bali 300 x 48 x 8mm (11³/₄" x 1⁷/₈" x 5/₁₆") - GW-BALBTB
 Stone: Earthworks Tumbled Marble Bianco 200 x 200 x 10mm - EW-TMBIANCO20X20 & 300 x 300 x 10mm EW-TMBIANCO30X30

Please refer to 'Important Information' on page 64 for installation guidelines.
 All the above dimensions are nominal and are subject to a tolerance of $\pm 2.5\text{mm}$ or $3/32$ "

Tumbled Borders

Adding a tactile interest to natural or manmade tiles, these linear borders are individual in every aspect.



▲ Border: Volga 200 x 17 x 10mm (8" x 5/₈" x 3/₈") - GW-VOLTBL
 Stone: Earthworks Dordogne Grey Mosaic 305 x 305 x 10mm - EW-VMDGREY23
 Stone: Earthworks Dordogne Grey 400 x 200 x 12mm - EW-TMDGREY40x20

Please refer to 'Important Information' on page 64 for installation guidelines.









Clear Border 200 x 17 x 10mm (8" x 5/8" x 3/8")



Classic Border 152 x 17 x 6mm (6" x 5/8" x 1/4")







Clear Borders

Crisp, clean, modern and contemporary, these glistening rails add either colour or interest – or both.

Arctic 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-ARTCB	
Volga 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-VOLCB	
Thames 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-THACB	
Mississippi 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-MSPCB	
Colorado 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-CORCB	
Danube 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-DANCB	
Mekong 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-MEKCB	
Ganges 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-GANCB	
Zaire 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-ZAICB	
Indus 200 x 17 x 10mm (8" x 5/8" x 3/8") GW-INDCB	

▲ Borders: Danube 200 x 17 x 10mm (8" x 5/8" x 3/8") - GW-DANCB
 Borders: Arctic 200 x 17 x 10mm (8" x 5/8" x 3/8") - GW-ARTCB
 Glass: Arctic Clear 398 x 198 x 6mm (15 3/4" x 7 7/8" x 1/4") - GW-ART1606C

Please refer to 'Important Information' on page 64 for installation guidelines.


Arctic 152 x 17 x 10mm (6" x 5/8" x 1/4") GW-ARTVB	
Thames 152 x 17 x 10mm (6" x 5/8" x 1/4") GW-THAVB	
Mississippi 152 x 17 x 10mm (6" x 5/8" x 1/4") GW-MSPVB	
Missouri 152 x 17 x 10mm (6" x 5/8" x 1/4") GW-MORVB	
Danube 152 x 17 x 10mm (6" x 5/8" x 1/4") GW-DANVB	
Ganges 152 x 17 x 10mm (6" x 5/8" x 1/4") GW-GANVB	

▲ Border: Missouri 152 x 17 x 6mm (6" x 5/8" x 1/4") - GW-MORVB
 Border: Artworks Jet Black Scroll 152 x 29mm (6" x 1 1/8") - N9923
 Tiles: Artworks Jet Black Field Tile 152 x 152mm (6" x 6") - N9000

Please refer to 'Important Information' on page 64 for installation guidelines.

Classic Borders

Chosen to fit seamlessly into an authentic interior, these simple glass rails mix elegantly with classic ceramic field tiles and mouldings.



Metallica Strips 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16")

300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Galatea GW-GLTBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Proteus GW-PROBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Draco GW-DRABDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Tucana GW-TUCBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Pavo GW-PAVBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Ceres GW-CERBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Hidalgo GW-HIDBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Auriga GW-ARGBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Hyperion GW-HYNBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Thebe GW-THEBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Ganymede GW-GNYBDR	
300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") Hermes GW-HRMBDR	

Metallica Strips

These glamorous borders enhance the contemporary home whether in kitchen or bathroom. Subtle or bright, they add continental chic, whilst you relax and enjoy the finished effect. Available in 12 different colours.

- ▲ Border: Tucana 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") - GW-TUCBDR
Glass: Metallica Galatea GW-GLT21OMFT, Proteus GW-PRO21OMFT, Triton GW-TRT21OMFT - 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")
- ▶ Border: Auriga 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") - GW-ARGBDR
Border: Hermes 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16") - GW-HRMBDR
Tile: La Belle Collection Graphite Field Tile 100 x 100 x 10mm (4" x 4" x 3/8") - NN5900












Please refer to 'Important Information' on page 64 for installation guidelines.



Metallica Strips 300 x 35 x 8mm (11 3/4" x 1 3/8" x 5/16")



Clear Highlight Strips 298 x 23.5 x 8mm (11³/₄" x 1³/₈" x 5/₁₆"

298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Arctic GW-ARTLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Volga GW-VOLLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Thames GW-THALFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Columbia GW-COLLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Mississippi GW-MSP LFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Arkansas GW-ARKLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Danube GW-DANLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Chico GW-CHILFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Ganges GW-GANLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Yangtze GW-YANLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Tigris GW-TIGLFB	

298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Mackenzie GW-MACLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Tisza GW-TSZLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Anur GW-ANULFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Garonne GW-GARLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Mekong GW-MEKLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Ahr GW-AHRLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Zaire GW-ZAILFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Avon GW-AVOLFB	
298 x 23.5 x 8mm (11 ³ / ₄ " x 1 ³ / ₈ " x 5/ ₁₆ "	Indus GW-INDLFB	


Clear Highlight Strips

Beautiful linear elements of colour mix seamlessly with organic subtlety or modern artifice. Available in 20 colours to satisfy the most demanding of designs.

▲ Borders: Thames, Mackenzie & Anur 298 x 23.5 x 8mm (11³/₄" x 1⁵/₁₆" x 5/₁₆" - GW-THALFB, GW-MACLFB & GW-ANULFB

► Border: Zaire 298 x 23.5 x 8mm (11³/₄" x 1⁵/₁₆" x 5/₁₆" - GW-ZAILFB

Please refer to 'Important Information' on page 64 for installation guidelines.



Clear Highlight Strip 298 x 23.5 x 8mm (11³/₄" x 1⁵/₁₆" x 5/₁₆"



Clear 100 x 100 x 10mm (4" x 4" x 3/8")



Clear 100 x 100 x 10mm (4" x 4" x 3/8")

Clear Glass

The essence of the Glassworks collection lies in its simple versatility. These beautifully proportioned tiles are ideal for traditional or contemporary settings, whether complementing stone or ceramic, or purely on their own.

- ▲ Glass: Arctic Clear 100 x 100 x 10mm (4 x 4 x 3/8") - GW-ART410C
Ceramic: Mirage 100 x 100 x 10mm (4 x 4 x 3/8") - GW-CMA0404
- ▶ Glass: Yukon Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-YUK410C
Tile: Colour Palette Graphite 100 x 100 x 10mm (4" x 4" x 3/8") - NN5900
Stone: Aegean Mosaic Mykanos 305 x 305 x 6mm (12" x 12" x 1/4") - EW-AGMYK
- ◀ Glass: Zambezi Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-ZAM410C
Glass: Missouri Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-MOR410C
Glass: Colorado Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-COR410C
Stone: Amazon Green Slate 600 x 400 x 10mm, 300 x 300 x 10mm, 100 x 100 x 10mm
- EW-AG60X40, EW-AG30X30, EW-AG10X10

Please refer to page 61 for all colour and size options available.



Clear 100 x 100 x 10mm (4" x 4" x 3/8")



Clear Tiles Colour Reference

These clear, brilliant tiles are available in many colours, tones, sizes and thickness to suit every need or desire. Mix and match with each other for an individual finish.



Clear Tiles Colour Reference - pages 2 - 13

	48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")		100 x 100 x 5mm (4" x 4" x 3/16")		100 x 100 x 10mm (4" x 4" x 3/8")		152 x 50 x 6mm (6" x 2" x 1/4")		152 x 152 x 6mm (6" x 6" x 1/4")		200 x 98 x 6mm (8" x 4" x 1/4")		198 x 198 x 6mm (7 7/8" x 7 7/8" x 1/4")		398 x 198 x 6mm (15 3/4" x 7 7/8" x 1/4")		398 x 80 x 6mm (15 3/4" x 3 1/8" x 1/4")	
Amazon	GW-AMA210C				GW-AMA410C													
Angara	GW-AGR210C				GW-AGR410C													
Arctic	GW-ART210C				GW-ART410C		GW-ART656BC	GW-ART606C	GW-ART846C	GW-ART806C	GW-ART1606C	GW-ART1636C						
Arkansas	GW-ARK210C				GW-ARK410C													
Avon	GW-AVO210C				GW-AVO410C													GW-AVO1636C
Bosphorus	GW-BOS210C				GW-BOS410C													
Chenab	GW-CHB210C				GW-CHB410C													
Chico	GW-CHI210C				GW-CHI410C													
Colorado	GW-COR210C				GW-COR410C						GW-COR806C	GW-COR1606C						
Columbia	GW-COL210C	GW-COL405C			GW-COL410C	GW-COL656BC	GW-COL606C	GW-COL846C										
Congo	GW-CON210C				GW-CON410C													
Danube	GW-DAN210C	GW-DAN405C			GW-DAN410C	GW-DAN656BC	GW-DAN606C				GW-DAN806C	GW-DAN1606C						
Ebro	GW-EBO210C				GW-EBO410C													
Elbe	GW-ELB210C				GW-ELB410C													
Euphrates	GW-EUP210C	GW-EUP405C			GW-EUP410C	GW-EUP656BC	GW-EUP606C											
Fraser	GW-FRA210C				GW-FRA410C													
Ganges	GW-GAN210C	GW-GAN405C			GW-GAN410C	GW-GAN656BC	GW-GAN606C	GW-GAN846C	GW-GAN806C	GW-GAN1606C								
Indus	GW-IND210C				GW-IND410C				GW-IND846C	GW-IND806C	GW-IND1606C	GW-IND1636C						
Krishna	GW-KRI210C				GW-KRI410C													
Loire	GW-LOR210C				GW-LOR410C													
Mackenzie	GW-MAC210C				GW-MAC410C													
Mekong	GW-MEK210C				GW-MEK410C				GW-MEK846C	GW-MEK806C	GW-MEK1606C	GW-MEK1636C						
Mississippi	GW-MSP210C				GW-MSP410C				GW-MSP846C	GW-MSP806C	GW-MSP1606C	GW-MSP1636C						
Missouri	GW-MOR210C	GW-MOR405C			GW-MOR410C	GW-MOR656BC	GW-MOR606C											
Moselle	GW-MSL210C				GW-MSL410C													
Murray	GW-MUR210C				GW-MUR410C													
Nile	GW-NIL210C				GW-NIL410C													
Orinoco	GW-ORN210C				GW-ORN410C													
Rhine	GW-RHN210C				GW-RHN410C													
Sala	GW-SAA210C				GW-SAA410C													
Seine	GW-SEN210C	GW-SEN405C			GW-SEN410C	GW-SEN656BC	GW-SEN606C											
Tagus	GW-TAG210C				GW-TAG410C													
Tarn	GW-TRN210C				GW-TRN410C													
Thames	GW-THA210C	GW-THA405C			GW-THA410C	GW-THA656BC	GW-THA606C				GW-THA806C	GW-THA1606C	GW-THA1636C					
Tigris	GW-TIG210C				GW-TIG410C													
Volga	GW-VOL210C	GW-VOL405C			GW-VOL410C	GW-VOL656BC	GW-VOL606C	GW-VOL846C	GW-VOL806C	GW-VOL1606C	GW-VOL1636C							
Yangtze	GW-YAN210C	GW-YAN405C			GW-YAN410C	GW-YAN656BC	GW-YAN606C											
Yukon	GW-YUK210C				GW-YUK410C													
Zambezi	GW-ZAM210C	GW-ZAM405C			GW-ZAM410C	GW-ZAM656BC	GW-ZAM606C	GW-ZAM846C										

Tile Area Calculations - Calcul de la Surface à Carreler - Berechnung der Fliesenfläche

Nominal* Tile Sizes	Tiles per m ²		Tiles per ft ²	
	400.0	36.0	20.0	6.4
48 x 48mm (1 7/8" x 1 7/8")	400.0	36.0	20.0	6.4
100 x 100mm (4" x 4")	100.0	9.0	10.0	3.0
152 x 50mm (6" x 2")	131.0	12.0	6.6	2.0
150 x 75mm (5 7/8" x 3")	88.0	8.0	6.67	2.0
152 x 152mm (6" x 6")	44.0	4.0	6.6	2.0
198 x 198mm (7 7/8" x 7 7/8")	25.0	2.3	5.0	1.5
200 x 98mm (8" x 4")	50.0	4.6	5.0	1.5
398 x 80mm (15 3/4" x 3 1/8")	31.0	2.9	2.5	0.75
398 x 198mm (15 3/4" x 7 7/8")	12.5	1.2	2.5	0.75

Nominal* Border Sizes	Borders per linear m		Borders per linear ft	
	10.0	3.0	6.67	2.0
100 x 13mm (4" x 7/8")	10.0	3.0		
152 x 17mm (6" x 7/8")	6.67	2.0		
200 x 17mm (8" x 7/8")	5.0	1.5		
200 x 40mm (7 7/8" x 1 5/8")	5.0	1.5		
200 x 50mm (8" x 2")	5.0	1.5		
298 x 23.5mm (11 7/8" x 7/8")	3.4	1.0		
300 x 35mm (11 3/4" x 1 3/8")	3.3	1.0		
300 x 40mm (11 3/4" x 3/2")	3.3	1.0		
300 x 48mm (11 3/4" x 1 7/8")	3.3	1.0		
300 x 75mm (11 3/4" x 3")	3.3	1.0		
320 x 90mm (12 3/4" x 3 3/8")	3.1	0.9		

*All of the above dimensions are subject to a tolerance of ± 2.5mm or 1/16". Quantities shown exclude grout gaps between each tile. Please allow an additional 5% for cutting/wastage.
 *Remarque : Toutes les dimensions précédentes sont sujettes à une tolérance de ± 2.5 mm. Les quantités démontrées n'incluent pas les joints entre les carreaux. Nous vous recommandons de prévoir au moins 5% supplémentaires pour les chutes.
 *Beachten Sie bitte: Alle oben genannten Abmessungen können Abweichungen von ± 2.5mm oder 1/16" aufweisen. Angegebene Mengen schliessen die Fugen zwischen jeder Fliese aus. Es empfiehlt sich, mindestens 5% Material für etwaiger Bruch einzuplanen.



Frosted, Tumbled & Metallica Tiles Colour Reference

These tiles are available in a multitude of tones, colours and sizes, whether frosted, tumbled as if from a pebble beach or with a striking metallic base.

FROSTED **TUMBLED**

Arctic
Volga
Columbia
Mississippi
Amazon
Nile
Zambezi
Congo
Colorado
Missouri
Seine
Loire
Moselle
Danube
Rhine
Murray
Bosphorus
Tagus
Elbe
Euphrates
Orinoco
Yangtze
Ganges
Yukon
Thames

METALLICA

Triton
Galatea
Proteus
Hyperion
Titania
Ganymede
Thebe
Hermes

▲ Glass: Mackenzie clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-MAC210C
 Glass: Volga clear 48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8") - GW-VOL210C
 Glass: Volga frosted 152 x 50 x 6mm (6" x 2" x 1/4") - GW-VOL656BF

Frosted & Tumbled Tiles Colour Reference - pages 14 - 19

FROSTED

	48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")	100 x 100 x 5mm (4" x 4" x 3/16")	100 x 100 x 10mm (4" x 4" x 3/8")	152 x 50 x 6mm (6" x 2" x 1/4")	152 x 152 x 6mm (6" x 6" x 1/4")	398 x 80 x 6mm (15 3/4" x 3 1/8" x 1/4")
Amazon	GW-AMA210F		GW-AMA410F			
Arctic	GW-ART210F		GW-ART410F	GW-ART656BF		GW-ART1636F
Bosphorus	GW-BOS210F		GW-BOS410F			
Colorado	GW-COR210F		GW-COR410F			
Columbia	GW-COL210F	GW-COL405F	GW-COL410F	GW-COL656BF	GW-COL606F	
Congo	GW-CON210F		GW-CON410F			
Danube	GW-DAN210F	GW-DAN405F	GW-DAN410F	GW-DAN656BF	GW-DAN606F	
Elbe	GW-ELB210F		GW-ELB410F			
Euphrates	GW-EUP210F	GW-EUP405F	GW-EUP410F	GW-EUP656BF	GW-EUP606F	
Ganges	GW-GAN210F	GW-GAN405F	GW-GAN410F	GW-GAN656BF	GW-GAN606F	
Loire	GW-LOR210F		GW-LOR410F			
Mississippi	GW-MSP210F		GW-MSP410F			
Missouri	GW-MOR210F	GW-MOR405F	GW-MOR410F	GW-MOR656BF	GW-MOR606F	
Moselle	GW-MSL210F		GW-MSL410F			
Murray	GW-MUR210F		GW-MUR410F			
Nile	GW-NIL210F		GW-NIL410F			
Orinoco	GW-ORN210F		GW-ORN410F			
Rhine	GW-RHN210F		GW-RHN410F			
Seine	GW-SEN210F	GW-SEN405F	GW-SEN410F	GW-SEN656BF	GW-SEN606F	
Tagus	GW-TAG210F		GW-TAG410F			
Thames	GW-THA210F	GW-THA405F	GW-THA410F	GW-THA656BF	GW-THA606F	GW-THA1636F
Volga	GW-VOL210F	GW-VOL405F	GW-VOL410F	GW-VOL656BF	GW-VOL606F	GW-VOL1636F
Yangtze	GW-YAN210F	GW-YAN405F	GW-YAN410F	GW-YAN656BF	GW-YAN606F	
Yukon	GW-YUK210F		GW-YUK410F			
Zambezi	GW-ZAM210F	GW-ZAM405F	GW-ZAM410F	GW-ZAM656BF	GW-ZAM606F	

TUMBLED FINISH

Arctic			GW-ART410T			
Colorado			GW-COR410T			
Columbia			GW-COL410T			
Ganges			GW-GAN410T			
Thames			GW-THA410T			
Volga			GW-VOL410T			

Metallica Glass Tiles Reference Chart - pages 20 - 23

	48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")	100 x 100 x 10mm (4" x 4" x 3/8")	150 x 75 x 10mm (5 7/8" x 3" x 3/8")
Galatea	GW-GLT210MFT	GW-GLT410MFT	GW-GLT610SFT
Ganymede	GW-GNY210MFT	GW-GNY410MFT	GW-GNY610SFT
Hermes	GW-HRM210MFT	GW-HRM410MFT	GW-HRM610SFT
Hyperion	GW-HYN210MFT	GW-HYN410MFT	GW-HYN610SFT
Proteus	GW-PRO210MFT	GW-PRO410MFT	GW-PRO610SFT
Thebe	GW-THE210MFT	GW-THE410MFT	GW-THE610SFT
Titania	GW-TTA210MFT	GW-TTA410MFT	GW-TTA610SFT
Triton	GW-TRT210MFT	GW-TRT410MFT	GW-TRT610SFT

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:

COOKERS - REDFYRE www.redfyrecookers.co.uk

FLOWERS - FLORAL SPIRIT - 01392 496198

KITCHEN ACCESSORIES - DEBENHAMS www.debenhams.com

KITCHEN & BATHROOM ACCESSORIES - ECLECTIQUE www.eclectique.co.uk
 ORANGE TREE INTERIORS www.theorangetree.co.uk

LIGHTING - www.lights2u.co.uk

MENSWEAR - CODY - 01392 213880

ORNAMENTS - ASHORE - 01392 477763

RADIATORS - VOGUE UK www.vogue-uk.com

SANITARYWARE FIXTURES AND FITTINGS - SAMUEL HEATH www.samuel-heath.com

TAP - DEVA www.devatap.co.uk

WOMENSWEAR - CREDE - 01392 211009

WOODEN SINKS - WILLIAM GARVEY - 01404 841430

Important Information

English

DIMENSIONS

Nominal dimensions for all Original Style glass tiles are shown throughout the brochure. Owing to their hand finished character, actual dimensions for individual tiles will vary from these figures. In addition, we recommend you allow for at least an additional 5% for cutting/wastage.

SHADING

As each tile is individually coloured, there may be distinctive yet subtle variations in shade. This is an inherent feature of Original Style's glass tiles. You may wish, therefore, to spend some time to achieve the most pleasing distribution of shades before fixing. Each decorative tile is handmade therefore uniquely individual. When planning designs it is important to dry lay the tiles prior to fixing. Due to the different density, 5mm and 10mm tiles will vary in tone.

INSTALLATION

As with any other glass product, ensure Glassworks tiles are handled with care, in particular, where tiles are being cut or have been broken. Please ensure that the surfaces do not come into contact with each other or sharp/abrasive objects. Appropriate safety precautions should be taken if cutting glass, including protective equipment for hands and eyes.

Original Style glass tiles are not recommended for exterior use. We do not recommend using Glass Strip Borders on areas subject to movement, i.e. timber walls, as the substrate may cause glass strips to fracture.

Other Original Style products, such as ceramic tiles and stone, which are shown in this brochure, have their own installation requirements. Please ensure you refer to the relevant Original Style brochure for these products before installing.

Adhesive must be applied evenly due to the transparent nature of some tiles. Failure to do this can lead to the adhesive being visible through the tiles in certain light. This applies in particular to the decorative and mosaic ranges.

For glass tiles, in particular, before commencing installation it is important to read the **Glassworks Installation Guidelines – Fixing and Cleaning Instructions** (applicable in the United Kingdom only).

In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with American National Standards Institution (ANSI) specifications as set out in the **Handbook for Ceramic Tile Installation** published by the Tile Council of America.

ADHESIVES

It is important to choose an adhesive with a high polymer content and a grout to suit. The adhesive must be thin set and never bedded as shrinkage will affect some paint backed tiles, therefore we do not recommend mixing different thicknesses of glass unless you are trying to achieve a 3D effect, otherwise always use the same thickness of tiles.

GROUTING

When using glass insets a flexible grout must be used for the whole installation. Before grouting always cover glass drop-in tiles with masking tape to avoid scratching.

Particular care should be taken to use the correct grout.

Read carefully and follow the manufacturer's instructions.

Original Style does not recommend using coloured grouts unless the adhesive supplier has stated that the coloured grout is suitable for use with glass tiles.

Original Style would recommend a grout space of approximately 2mm for the plain and mosaic glass. Due to the handmade nature of the decorative glass it is imperative to dry lay the tiles before fixing to establish correct grout spacing.

EQUINOX TILES

Colour and patina vary within this range and should be considered when installing.

Avoid slurry grouting these tiles, finger grout around the tile to avoid getting the grout in the patina.

IRIDESCENT DROP-IN TILES

Due to production methods used in creating this range it is important to use a thicker/stiffer consistency of grout to avoid leaching between tile layers.

Colour variation is inherent with these tiles which should be considered when planning your tiling.

The clear Drop-in tiles can be fixed either side. It is therefore important to achieve the desired effect before fixing.

Additionally, please note the level of reflectivity can be influenced by the depth of grout, test before fixing to achieve the desired effect.

CLEANING

Wash down glass tile surfaces with clean water or a normal spirit, glass or window cleaner. Please ensure a soft cloth is used to avoid scratching.

SCRATCHING

As with all glass products, glass tiles can be scratched. We recommend that care is taken in installation and that glass tiles are not put in high-risk areas for scratching.

USE OF GLASS TILES ON COUNTER TOP SURFACES

Original Style does not recommend glass tiles are used on counter tops, see scratching above.

USE OF GLASS TILES NEAR HEAT

Original Style recommends tiles are installed a minimum of 3cm from any heat source. This will include any hot water pipe-work concealed within walls and any radiant heat sources such as heated towel rails or radiators.

PHOTOGRAPHY

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Original Style retailer to show you samples.

LIMITS OF LIABILITY

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed.

Please be advised that installation constitutes acceptance of the quality, colour, texture and shade of tiles.

Original Style warrants that its tiles conform to their description and are fit for their purpose.

Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Français

DIMENSIONS

Les dimensions nominales de tous les carreaux de verre Original Style sont indiquées au fil de la brochure. Ces carreaux étant de fabrication artisanale, les dimensions réelles de chaque carreau peuvent être différentes des chiffres indiqués. Nous vous recommandons en outre de prévoir au moins 5 % supplémentaires pour les découpes/chantes.

TEINTES

Les carreaux de verre étant colorés individuellement, ils peuvent présenter des variations et nuances subtiles mais distinctives. Il s'agit là d'un trait de caractère propre aux carreaux de verre Original Style. Nous vous conseillons par conséquent de prendre le temps nécessaire pour distribuer les teintes de manière harmonieuse avant de coller vos carreaux. Chaque carreau décoratif est fabriqué à la main, ce qui lui confère un caractère unique. Si vous souhaitez créer des motifs, il est important de disposer les carreaux au sol avant de les coller. Pour des raisons de densité, la tonalité des carreaux de 5 mm est différente de ceux de 10 mm.

INSTALLATION

Comme tous les autres produits en verre, les carreaux de la série Glassworks doivent être manipulés avec soin, notamment pendant la découpe ou s'ils ont été cassés. Veillez à ce que les surfaces des carreaux n'entrent pas en contact ou avec d'autres objets tranchants/abrasifs. La découpe de verre nécessite le respect de certaines précautions de sécurité, notamment le port de protections sur les mains et les yeux. Les carreaux de verre Original Style ne sont pas recommandés pour une utilisation en extérieur. Nous ne recommandons pas l'usage de bordures en verre sur les zones sujettes à déformation, notamment sur les cloisons en bois, sur lesquelles le verre risque de se fendre.

L'installation des autres produits Original Style présentés dans la brochure, tels que les carreaux de céramique et les dalles en pierre, nécessite des précautions différentes. Veuillez vous reporter à la brochure Original Style correspondante avant de procéder à l'installation.

Certains carreaux étant transparents, la colle doit être répartie uniformément. Si la colle est mal étalée, elle sera visible à travers les carreaux sous certains éclairages. Cette précaution s'applique notamment aux gammes décoratives et à la mosaïque.

Concernant les carreaux de verre, il est important, avant de commencer l'installation, de lire les Directives d'installation des carreaux de verre - Instructions de collage et de nettoyage (applicables au Royaume-Uni uniquement).

Les habitants des Etats-Unis d'Amérique doivent se référer aux recommandations d'un fabricant établi de colle pour carrelage et veiller à respecter les spécifications ANSI (American National Standard Institution) telles que définies dans l'ouvrage intitulé Handbook for Ceramic Tile Installation publié par le Tile Council of America.

COLLES

Il est important de choisir une colle possédant une teneur élevée en polymère ainsi que des joints adaptés. La colle doit être appliquée en couche fine et ne doit jamais être appliquée en couches successives, car le retrait affecte la peinture au dos de certains carreaux. Par conséquent, nous déconseillons le mélange de différentes épaisseurs de verre, sauf si vous souhaitez obtenir un effet 3D. Dans toutes les autres situations, utilisez toujours des carreaux d'épaisseur identique.

JOINTS

Si vous utilisez des médaillons en verre, vous devez utiliser des joints flexibles sur l'ensemble de l'installation. Avant de jointoyer, recouvrez toujours les carreaux avec de la bande à masquer pour éviter les éraflures.

Le choix d'un mélange pour joints adéquat est essentiel.

Lisez attentivement les instructions du fabricant.

Original Style ne recommande pas l'utilisation de ciments-joints colorés, sauf s'il est stipulé que le mélange est adapté à une utilisation avec des carreaux de verre.

Original Style recommande des joints de 2 mm environ pour les carreaux unis et les carreaux de mosaïque; Le verre étant décoré à la main, il est impératif de vérifier les motifs avant de coller les carreaux afin de déterminer la taille idéale des joints.

CARREAUX EQUINOX

La couleur et la patine de cette gamme peuvent être différentes d'un carreau à l'autre. Tenez-en compte au moment de la pose.

Évitez de verser le joint sur ces carreaux. Répartissez-le au doigt autour du carreau pour éviter d'en mettre dans la patine.

CARREAUX IRIDESCENT DROP-IN

Les procédés de fabrication de cette gamme nécessitent l'utilisation d'une gâche plus épaisse pour éviter les coulures entre les carreaux.

Les variations de couleurs font partie intégrante de ces carreaux. Tenez en compte au moment de la disposition du carrelage.

Les carreaux Drop-in transparents sont réversibles. Il est donc important de vérifier l'obtention de l'effet souhaité avant de coller.

Veillez de plus noter que le pouvoir réfléchissant peut être influencé par l'épaisseur du joint. Procédez à des essais avant de coller pour obtenir l'effet souhaité.

NETTOYAGE

Rincez les surfaces carrelées à l'eau propre ou avec de l'alcool, ou encore un nettoyant pour vitres. Utilisez un chiffon doux pour éviter les éraflures.

RAYURES

Comme tous les produits en verre, les mosaïques en carreaux de verre se raient facilement. Original Style recommande le plus grand soin lors de l'installation. N'installez pas les carreaux de verre dans des zones où les mosaïques risquent d'être rayées.

UTILISATION DES MOSAÏQUES DE VERRE EN DESSUS DE COMPTOIR

Original Style ne recommande pas l'utilisation de mosaïques de verre sur les dessus de comptoir. Voir la rubrique "Rayures" ci-dessus.

UTILISATION DES MOSAÏQUES DE VERRE A PROXIMITÉ D'UNE SOURCE DE CHALEUR

Original Style recommande d'installer les mosaïques de verre à au moins 3 cm des sources de chaleur. Sous incluses ici toutes les tuyauteries d'eau chaude dissimulées à l'intérieur des cloisons ainsi que toutes les sources de chaleur rayonnantes telles que les sèche-serviette ou les radiateurs.

PHOTOGRAPHIES

L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter les couleurs des carreaux présentés dans ce catalogue. Avant de passer commande, il est toujours préférable de vous procurer des échantillons auprès d'un revendeur Original Style.

LIMITATION DE RESPONSABILITÉ

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses carrelages. En cas de réclamation relative aux carreaux en eux-mêmes, la responsabilité d'Original Style se borne, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Les carreaux doivent être contrôlés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés.

Nous attirons votre attention sur le fait que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture et de la teinte des carreaux.

Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus.

Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Nous attirons votre attention sur le fait que certains produits détergents à base d'acide peuvent provoquer une réaction des carreaux altérant leur caractère.

Deutsch

ABMESSUNGEN

In der Broschüre sind die Abmessungen für alle Glasfliesen von Original Style in Nennwerten angegeben. Da sie in Handarbeit hergestellt wurden, können die tatsächlichen Abmessungen einzelner Fliesen von diesen Werten abweichen. Außerdem empfiehlt es sich, mindestens 5% mehr Material für etwaigen Bruch oder falschen Zuschnitt einzuplanen.

SCHATTIERUNG

Da jede Fliese eine individuelle Farbgebung besitzt, kann es bei den Schattierungen zwar deutliche aber feine Abstufungen geben. Das ist ein ganz eigenes Merkmal bei Glasfliesen von Original Style. Deswegen werden Sie vermutlich vor dem Anbringen erst einmal etwas Zeit benötigen, um die beste Verteilung der Schattierungen herauszufinden. Jede Dekorfliese wurde in Handarbeit hergestellt und ist daher einzigartig. Plant man ein bestimmtes Aussehen, dann sollten die Fliesen vor dem Anbringen schon einmal zur Probe angelegt werden. Aufgrund ihrer unterschiedlichen Dichte unterscheiden sich die 5mm- und 10mm-Fliesen im Farbton.

INSTALLATION

Wie auch bei jedem anderen Glasartikel sollten Sie mit den Fliesen vorsichtig umgehen, ganz besonders an Schnitt- oder Bruchkanten. Sorgen Sie dafür, dass die Oberflächen sich nicht berühren oder mit scharfen oder abschleifenden Gegenständen in Kontakt kommen. Beim Zuschnneiden des Glases sollten entsprechende Sicherheitsvorkehrungen getroffen werden. Dazu gehören auch Handschuhe und Schutzbrille.

Fliesen von Original Style eignen sich nicht für die Außenanwendung. Zierkanten aus Glas sind bei beweglichen Untergründen nicht zu empfehlen, z.B. Holzwände, da der Untergrund die Glasstreifen zum Brechen bringen könnte.

Bei anderen Artikeln von Original Style, wie beispielsweise Keramik- und Steinfliesen, die in dieser Broschüre zu sehen sind, gibt es wieder ganz andere Installationsanforderungen. Vor der Installation dieser Artikel sollten sie die entsprechende Broschüre von Original Style konsultieren.

Der Kleber muss gleichmäßig aufgetragen werden, da manche Fliesen durchsichtig sind. Sollte das nicht erfolgen, scheint der Kleber womöglich bei bestimmtem Lichteinfall durch. Das trifft ganz besonders auf die Dekor- und Mosaikauswahl zu.

Bei Glasfliesen ist es ganz besonders wichtig, vor der Installation die Anleitungen zur Installation von Glasfliesen - Hinweise zum Anbringen und Reinigen (nur für Großbritannien anwendbar) zu lesen.

Wenn Sie in den USA wohnen, dann folgen Sie den Anweisungen eines renommierten Herstellers für Kleber und beachten Sie dabei immer die Spezifikationen des amerikanischen staatlichen Normenverbands (ANSI), wie sie im Handbuch für die Installation von Keramikfliesen vorgeschrieben sind, das vom Tile Council of America herausgegeben wurde.

KLEBER

Bei der Auswahl des Klebers sollten Sie auf einen hohen Polymer-Anteil achten und einen passenden Mörtel. Der Kleber ist dünn aufzutragen und niemals in Schichten, da sich das Schrumpfen auf manche der unterstrichenen Fliesen auswirkt. Daher sollten unterschiedliche Glasdicken nicht kombiniert werden, es sei denn Sie wünschen einen 3D-Effekt. Verwenden Sie ansonsten immer die gleiche Fliesenstärke.

VERFUGEN

Beim Verwenden von Glaseinsätzen ist für die Installation ein flexibles Material zum Verfugen zu benutzen. Vor dem Verfugen sollten Sie die Eintropf-Fliesen immer abkleben, damit sie nicht verkratzt werden können.

Besonders wichtig ist die Auswahl der richtigen Fugenmasse.

Lesen Sie die Anleitung des Herstellers aufmerksam durch und gehen Sie entsprechend vor.

Original Style rät von der Verwendung farbiger Fugenmasse ab, es sei denn, sie kann nach Angaben des Lieferanten bei Glasfliesen verwendet werden.

Original Style empfiehlt für das plane und das Mosaikglas einen Fugenabstand von etwa 2mm. Da das Dekorglas in Handarbeit hergestellt wurde, müssen die Fliesen vor dem Anbringen zur Probe angelegt werden um den richtigen Fugenabstand zu ermitteln.

EQUINOX-FLIESEN

Farbe und Patina sind bei dieser Serie sehr variabel, was Sie bei der Installation berücksichtigen sollten.

Vermeiden Sie es, diese Fliesen mit einer dünnflüssigen Fugenmasse zu verarbeiten und verteilen Sie die Fugenmasse vorsichtig mit dem Finger um die Fliese herum, um zu vermeiden, dass sie auf die Patina gelangt.

IRISIERENDE EINTROPF-FLIESEN

Wegen der Produktionsverfahren, die für die Herstellung dieser Serie angewendet werden, ist es wichtig, eine dickere / festere Konsistenz bei der Fugenmasse zu verwenden, damit die Fugenmasse nicht in die Fliesenschichten eintritt.

Farbvariationen sind bei diesen Fliesen ein fester Bestandteil, und Sie sollten dies bei Ihrer Planung zum Fliesenverlegen berücksichtigen.

Die klaren Eintropf-Fliesen können beliebig ausgerichtet werden. Deshalb können Sie den gewünschten Effekt nur vor dem Anbringen erreichen.

Achten Sie außerdem bitte darauf, dass der Grad der Reflektivität durch die Tiefe der Fugenmasse beeinflusst wird. Machen Sie vor dem Anbringen der Fliesen ein paar Tests, um den gewünschten Effekt zu erzielen.

REINIGUNG

Waschen Sie die Oberfläche der Glasfliesen mit klarem Wasser oder normalem Spiritus, Glas- oder Fensterreiniger ab. Verwenden Sie dazu ein weiches Tuch, um Kratzer zu vermeiden.

VERKRATZEN

Glasfliesen können, wie alle anderen Glasartikel auch, verkratzt werden. Daher sollte darauf bei der Installation besonders geachtet werden und die Glasfliesen an einem entsprechend sicheren Ort gelagert gehen.

VERWENDUNG VON GLASFLIESEN ALS ARBEITSPLATTEN

Original Style rät Ihnen von der Verwendung von Glasfliesen für Arbeitsplatten ab - Grund ist die oben erwähnte Anfälligkeit für Kratzer.

VERWENDUNG VON GLASFLIESEN IN DER NÄHE VON HEIZKÖRPERN

Original Style empfiehlt, bei der Installation der Fliesen einen Abstand von mindestens 3 cm zu allen direkten Heizkörpern einzuhalten. Das betrifft auch alle Heizwasserleitungen, die sich hinter der Wand befinden und alle anderen Hitze abgebenden Geräte wie Handtuchtrockner oder Radiatoren.

PHOTOGRAPHIE

Aufgrund variierender Beleuchtungverhältnisse im Studio oder bei Druckfarben können die im Katalog zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Einzelhändler für Original Style nach Mustern fragen.

HAFTUNGSBESCHRÄNKUNG

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikel austausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation hinsichtlich Qualität, Farbgebung, Textur oder Schattierung keine Beanstandungen anzeigen.

Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten.

Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können.



Clear 100 x 100 x 10mm (4" x 4" x 3/8")

Clear Glass

Blend colours and tones to produce stunningly original works of art for your home. The sparkling qualities of glass are enhanced as light reflects and radiates from every single tile.



Clear 152 x 50 x 6mm (6 x 2 x 1/4")

- ▲ Glass: Chenab Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-CHB410C
- ▲ Glass: Krishna Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-KRI410C
- ▲ Glass: Ebro Clear 100 x 100 x 10mm (4" x 4" x 3/8") - GW-EBO410C


- ▶ Glass: Yangtze Clear 152 x 50 x 6mm (6" x 2" x 1/4") - GW-YAN656BC

Please refer to page 61 for all colour and size options available.

Reflect

on the brilliance of glass...

Glass has been used in the decoration of buildings for a thousand years. Now, in the 21st Century, its unique, reflective qualities have been redefined. The superb Glassworks collection from Original Style makes it possible for you to enjoy the translucent beauty of this versatile and colourful material on interior surfaces throughout the home.



Contents	Page
Clear Glass	02
Frosted & Tumbled Glass	14
Metallica Glass	20
Co-ordinating Ceramics	24
Decorative Glass - Constellation	28
Decorative Glass - Iridescent Drop-Ins	30
Decorative Glass - Lunar & Equinox	32
Decorative Glass - Confetti	34
Decorative Glass - Float & Foil	36
Decorative Glass - Iridescent	38
Borders	40
Colour reference charts	60
Technical Information (Important, please read before ordering)	64

Continuing the fine traditions of generations of master craftsmen, every Glassworks tile is individually cut, coloured and finished entirely by hand, combining a distinctive character with cool, contemporary chic.

You can tile in glass alone. You can blend the clear, brilliant tiles with the softer style of our frosted finish (it's just like glass that has been tumbled by the sea on a pebbled beach!) or you can harmonise the decorative ranges of handmade glass as feature pieces with other materials such as natural stone or ceramics. Whatever your preference, we hope you will find this brochure a source of sheer inspiration.

Front Cover: Glass: Thames Clear 152 x 152 x 6mm (6" x 6" x 1/4") - GW-THA606C

Opposite page: Glass: Volta Tumbled Triangle Border 300 x 40 x 8mm (117/8" x 15/8" x 5/8") - GW-VTATBF